

Supplemental Table 9. Descriptive statistics and ANOVA for aesthetic surgery publications by 3 year periods comparing dermatology, otolaryngology, oculoplastics, and plastic and reconstructive surgery

Time period	Dermatology		Otolaryngology		Oculoplastics		Plastic and reconstructive surgery		P-value (ANOVA)
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	
2017–2019	546.33	69.87	424.00	31.19	245.67	20.21	9,253.67	685.36	<0.001
2014–2016	351.67	93.30	318.67	67.35	176.33	42.71	7,491.67	877.35	<0.001
2011–2013	85.33	37.07	90.00	26.06	52.33	17.10	4,220.33	709.24	<0.001
2008–2010	37.00	7.81	73.33	12.90	23.00	9.54	3,336.67	178.95	<0.001
2005–2007	37.33	6.51	60.00	3.61	26.67	4.16	2,311.33	213.20	<0.001
2002–2004	23.33	6.81	51.00	15.72	23.00	2.65	1,723.33	152.28	<0.001
1999–2001	20.33	7.51	49.33	10.21	16.33	8.39	1,397.67	79.66	<0.001
1996–1998	18.33	5.13	28.00	5.20	18.33	4.73	1,206.00	89.27	<0.001
1993–1995	13.67	4.04	32.33	4.51	17.00	5.56	995.33	66.73	<0.001
1990–1992	7.67	2.31	17.00	1.00	16.33	3.51	790.33	32.72	<0.001
1987–1989	7.67	4.62	15.67	10.79	10.67	2.08	538.33	267.13	0.003

SD, standard deviation; ANOVA, analysis of variance.